


Horizontal cable terminal to ground rod joint - CR1



A	B	Ⓢ	Ⓢ	Ⓢ	Ⓢ
12.7	16	D	#065	HCD	MDCR112.716
12.7	25	D	#065	HCD	MDCR112.725
12.7	35	D	#065	HCD	MDCR112.735
12.7	50	D	#065	HCD	MDCR112.750
12.7	70	D	#090	HCD	MDCR112.770
12.7	95	D	#090	HCD	MDCR112.795
12.7	120	D	#090	HCD	MDCR112.7120
12.7	8 dia	D	#065	HCD	MDCR112.78S
12.7	10 dia	D	#090	HCD	MDCR112.710S
14.2	16	D	#065	HCD	MDCR114.216
14.2	25	D	#065	HCD	MDCR114.225
14.2	35	D	#065	HCD	MDCR114.235
14.2	50	D	#090	HCD	MDCR114.250
14.2	70	D	#090	HCD	MDCR114.270
14.2	95	D	#090	HCD	MDCR114.295
14.2	120	D	#090	HCD	MDCR114.2120
14.2	150	D	#115	HCD	MDCR114.2150
14.2	185	D	#115	HCD	MDCR114.2185
14.2	240	D	#150	HCD	MDCR114.2240
14.2	8 dia	D	#090	HCD	MDCR114.28S
14.2	10 dia	D	#115	HCD	MDCR114.210S
17.2	16	D	#065	HCD	MDCR117.216
17.2	25	D	#065	HCD	MDCR117.225
17.2	35	D	#065	HCD	MDCR117.235
17.2	50	D	#090	HCD	MDCR117.250
17.2	70	D	#090	HCD	MDCR117.270
17.2	95	D	#090	HCD	MDCR117.295
17.2	120	D	#090	HCD	MDCR117.2120
17.2	150	D	#115	HCD	MDCR117.2150
17.2	185	D	#115	HCD	MDCR117.2185
17.2	240	D	#150	HCD	MDCR117.2240
17.2	300	D	#200	HCD	MDCR117.2300
16	16	D	#65	HCD	MDCR11616
16	25	D	#65	HCD	MDCR11625
16	35	D	#65	HCD	MDCR11635
16	50	D	#90	HCD	MDCR11650
16	70	D	#90	HCD	MDCR11670
16	95	D	#90	HCD	MDCR11695
16	120	D	#90	HCD	MDCR116120
16	150	D	#115	HCD	MDCR116150
16	185	D	#115	HCD	MDCR116185
16	240	D	#150	HCD	MDCR116240
16	300	D	#200	HCD	MDCR116300
20	16	D	#90	HCD	MDCR12016
20	25	D	#90	HCD	MDCR12025
20	35	D	#90	HCD	MDCR12035
20	50	D	#90	HCD	MDCR12050
20	70	D	#90	HCD	MDCR12070
20	95	D	#90	HCD	MDCR12095
20	120	D	#115	HCD	MDCR120120
20	150	D	#115	HCD	MDCR120150
20	185	D	#115	HCD	MDCR120185
20	240	D	#200	HCD	MDCR120240
20	300	D	#200	HCD	MDCR120300

A 12.7, 14.2 and 17.2 = copperbond
16 and 20 = solid copper/steel

B 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300 and 400 = stranded cable (mm²)
8 dia and 10 dia = solid copper/steel